Brain Research, 522 (1990) 359–360
Elsevier

Author Index

Albin, R.L. and Gilman, S., Autoradiographic localization of inhibitory and excitatory amino acid neurotransmitter receptors in human normal and olivopontocerebellar atrophy cerebellar cortex, 37
Aldrich, L.B., see Kossut, M., 235
Allard, L.R., Brog, J.S., Viereck, J.C., Contreras, P.C., Jacobson, A.E., Rice, K.C. and Beinfeld, M.C., Inhibition of potassium-evoked release of cholecystokinin from rat caudate-putamen, cerebral cortex and hippocampus incubated in vitro by phencyclidine and related compounds, 224
Applegate, C.D., see DeLeo, J.A., 168
Arechaga, G., see Ramírez, M., 165
Ariel, M., see Schuerger, R.J., 161
Arora, P.K., see Fride, E., 246

Banisadr, R., see Carstens, E., 7
Barker, J.L., see Mandler, R.N., 46
Barrera-Mera, B. and Block, G.D., Protocerebral circadian pacemakers in crayfish: evidence for mutually coupled pacemakers, 241
Baum, M.J., see Cherry, J.A., 191
Beinfeld, M.C., see Allard, L.R., 224
Benavides, J., Capdeville, C., Dauphin, F., Dubois, A., Duverger, D., Fage, D., Gotti, B., MacKenzie, E.T. and Scatton, B., The quantification of brain lesions with an ω_3 site ligand: a critical analysis of animal models of cerebral ischaemia and neurodegeneration, 275
Benavides, J., see Gotti, B., 290
Berger, P.J., see Cooke, I.R.C., 333
Block, G.D., see Barrera-Mera, B., 241
Brioni, J.D., Decker, M.W., Gamboa, L.P., Izquierdo, I. and McGaugh, J.L., Muscimol injections in the medial septum impair spatial learning, 227
Brog, J.S., see Allard, L.R., 224
Budhrani, V.M., see Hentall, I.D., 322
Burchfiel, J.L., see DeLeo, J.A., 168

Capdeville, C., see Benavides, J., 275
Carstens, E., Culhane, E.S. and Banisadr, R., Partial involvement of monoamines and opiates in the inhibition of rat spinal nociceptive neurons evoked by stimulation in midbrain periaqueductal gray or lateral reticular formation, 7
Cecconi, C., see Simoni, A., 118
Chan, R.K.W., Chan, Y.S. and Wong, T.M., Cardiovascular responses to electrical stimulation of the ventrolateral medulla of the spontaneously hypertensive rat, 99
Chan, Y.S., see Chan, R.K.W., 99
Chen, S. and Su, H.-S., Afferent connections of the thalamic paraventricular and parataenial nuclei in the rat — a retrograde tracing study with iontophoretic application of Fluoro-Gold, 1
Chen, Y.L., see Neil, A., 140
Cherry, J.A. and Baum, M.J., Effects of lesions of a sexually dimorophic nucleus in the preoptic/anterior hypothalamic area on the expression of androgen- and estrogen-dependent sexual behaviors in male ferrets, 191
Chinaglia, G., see Palacios, J.M., 342
Cohen, H.L., see Gootman, P.M., 131
Collins, R.L., see Fride, E., 246
Condemi, G., see Gootman, P.M., 131
Contreras, P.C., see Allard, L.R., 224
Cooke, I.R.C. and Berger, P.J., Precursor of respiratory pattern in the early gestation mammalian fetus, 333
Cropper, E.C., Kupfermann, I. and Weiss, K.R., Differential firing patterns of the peptide-containing cholinergic motor neurons B15 and B16 during feeding behavior in *Aplysia*, 176
Csiffáry, A., see Fodor, M., 251
Culhane, E.S., see Carstens, E., 7
Culp, S., see Zaczek, R., 308

Dauphin, F., see Benavides, J., 275
De Arruda Camargo, L.A., see Ferrari, A.C., 125
Decker, M.W., see Brioni, J.D., 227
De Gandarias, J.M., see Ramírez, M., 165
DeLeo, J.A., Applegate, C.D., Burchfiel, J.L., Lorenzo, A.V. and Hsi, D.H., Perinatal exposure to anoxia alone does not alter the susceptibility to amygdaloid-kindled seizures in the adult rabbit, 168
De Luca Jr., L.A., see Ferrari, A.C., 125
De Souza, E.B., see Zaczek, R., 308
Dokas, L.A., see Schlatter, L.K., 215
Dubois, A., see Benavides, J., 275
Duverger, D., see Benavides, J., 275

Eberle, L.P., see Gootman, P.M., 131

Fage, D., see Benavides, J., 275
Ferrari, A.C., De Arruda Camargo, L.A., Saad, W.A., Renzi, A., De Luca Jr., L.A. and Menani, J.V., Clonidine and phenylephrine injected into the lateral hypothalamus inhibits water intake in rats, 125
Fink-Jensen, A. and Møller, M., Direct projections from the anterior and tuberal regions of the lateral hypothalamus to the rostral part of the pineal complex of the rat. An anterograde neuron-tracing study by using *Phaseolus vulgaris* leucoagglutinin, 337
Fodor, M., Csiffáry, A., Kiss, P. and Palkovits, M., Dynorphin A-containing neural elements in the nucleus of the solitary tract of the rat. Light and electron microscopic immunochemistry, 251
Frey, U., Schroeder, H. and Matthies, H., Dopaminergic antagonists prevent long-term maintenance of posttetanic LTP in the CA1 region of rat hippocampal slices, 69
Fride, E., Collins, R.L., Skolnick, P. and Arora, P.K., Strain-dependent association between immune function and paw preference in mice, 246
Fritschy, J.-M., see Zaczek, R., 308

Gallardo, K.A., see Liu, N.H., 315
Gamboa, L.P., see Brioni, J.D., 227
Gandhi, M.R., see Gootman, P.M., 131
Garcia, S., see Ramírez, M., 165
Gilman, S., see Albin, R.L., 37
Gootman, P.M., Cohen, H.L., Steele, A.M., Sica, A.L., Condemi, G., Gandhi, M.R. and Eberle, L.P., Effects of anesthesia on efferent phrenic activity in neonatal swine, 131
Goto, M., see Tanaka, Y., 63
Gotti, B., Benavides, J., MacKenzie, E.T. and Scatton, B., The pharmacotherapy of focal cortical ischaemia in the mouse, 290
Gotti, B., see Benavides, J., 275
Gregor, L., see Halvorson, I., 76
Grzanna, R., see Zaczek, R., 308
Guilbaud, G., see Neil, A., 140

Haga, C., see Iwamoto, N., 152
Hallett, M., see Tarkka, I.M., 172
Halvorson, I., Gregor, L. and Thornhill, J.A., Brown adipose tissue thermogenesis is activated by electrical and chemical (L-glutamate) stimulation of the ventromedial hypothalamic nucleus in cold-acclimated rats, 76
Hauser, K.F., Osborne, J.G., Stiene-Martin, A. and Melner, M.H., Cellular localization of proenkephalin mRNA and enkephalin peptide products in cultured astrocytes, 347
Hayashi, S., see Tanaka, Y., 63
Hentall, I.D. and Budhrani, V.M., The interpeduncular nucleus excites the on-cells and inhibits the off-cells of the nucleus raphe magnus, 322
Hesse, G.W., see Shashoua, V.E., 181
Hou, V., see Spear, P.D., 354
Hsi, D.H., see DeLeo, J.A., 168

Iizuka, R., see Iwamoto, N., 152
Illing, R.-B., A subtype of cerebellar Golgi cells may be cholinergic, 267
Iwamoto, N., Suzuki, Y., Maino, Y., Haga, C., Kosaka, K. and Iizuka, R., Cell membrane changes in brains manifesting senile plaques: an immunohistochemical study of GM_1 membranous ganglioside, 152
Izquierdo, I., see Brioni, J.D., 227

Jacobson, A.E., see Allard,L.R., 224
Jakinovich Jr., W., see Somenarain, L., 83
Jie, W. and Pei-Xi, C., Cerebellar evoked potential elicited by stimulation of C-fiber in saphenous nerve of cat, 144
Johnstone, S. and Rolls, E.T., Delay, discriminatory, and modality specific neu-

rons in striatum and pallidum during short-term memory tasks, 147
Jójárt, I., see Vecsernyés, M., 325

Kalubi, B., Yamano, M., Ohhata, K., Matsunaga, T. and Tohyama, M., Presence of VIP fibers of sensory origin in the rat trachea, 107
Kashiwamata, S., see Katoh-Semba, R., 112
Kato, K., see Katoh-Semba, R., 112
Katoh-Semba, R., Semba, R., Kashiwamata, S. and Kato, K., Influences of neonatal and adult exposures to testosterone on the levels of the β-subunit of nerve growth factor in the neural tissues of mice, 112
Kayser, V., see Neil, A., 140
Kiss, P., see Fodor, M., 251
Konrad, P.E. and Tacker Jr., W.A., Suprathreshold brain stimulation activates noncorticospinal motor evoked potentials in cats, 14
Kosaka, K., see Iwamoto, N., 152
Kossut, M., Aldrich, L.B., Yamada, T. and Pinto, L.H., The binding of somatostatin to the mouse retina is altered by the pearl mutation, 235
Krukoff, T.L. and Patel, K.P., Alterations in brain hexokinase activity associated with streptozotocin-induced diabetes mellitus in the rat, 157
Kupfermann, I., see Cropper, E.C., 176

Laczi, F., see Vecsernyés, M., 325
Lam, D.M.-K., see Li, H.-B., 30
Lange, G.D., see Mandler, R.N., 46
Lardelli, P., see Ramírez, M., 165
Li, H.-B. and Lam, D.M.-K., Localization of neuropeptide-immunoreactive neurons in the human retina, 30
Liu, N.H., Yu, B.P., Gallardo, K.A. and Robertson, R.T., Distribution of 'nonspecific' cholinesterase histochemical staining in the dorsal thalamus: a comparative study in rodents, 315
Lorenzo, A.V., see DeLeo, J.A., 168

MacKenzie, E.T., see Benavides, J., 275
MacKenzie, E.T., see Gotti, G., 290
Macklis, J.D., see Madison, R., 90
Madison, R., Macklis, J.D. and Thies, C., Latex nanosphere delivery system (LNDS): novel nanometer-sized carriers of fluorescent dyes and active agents selectively target neuronal subpopulations via uptake and retrograde transport, 90
Makino, Y., see Iwamoto, N., 152
Mandler, R.N., Schaffner, A.E., Novotny, E.A., Lange, G.D., Smith, S.V. and Barker, J.L., Electrical and chemical excitability appear one week before birth in the embryonic rat spinal cord, 46
Matsunaga, T., see Kalubi, B., 107
Matthies, H., see Frey, U., 69
Mattson, M.P. and Rychlik, B., Cell culture of cryopreserved human fetal cerebral cortical and hippocampal neurons: neuronal development and responses to trophic factors, 204
McGaugh, J.L., see Brioni, J.D., 227
Melner, M.H., see Hauser, K.F., 347
Menani, J.V., see Ferrari, A.C., 125
Meserve, L.A., see Schlatter, L.K.,215
Milinazzo, B., see Shashoua, V.E., 181
Mitchell, D., see Sher, G.D., 55
Møller, M., see Fink-Jensen, A., 337

Neil, A., Kayser, V., Chen, Y.L. and Guilbaud, G., Repeated low doses of morphine do not induce tolerance but increase the opioid antinociceptive effect in rats with a peripheral neuropathy, 140
Nicklas, W.J., see Zeevalk, G.D., 135
Novotny, E.A., see Mandler, R.N., 46

O'Donnell, J., see Peers, C., 259
Ohhata, K., see Kalubi, B., 107
Osborne, J.G., see Hauser, K.F., 347

Palacios, J.M., Rigo, M., Chinaglia, G. and Probst, A., Reduced density of striatal somatostatin receptors in Huntington's chorea, 342
Palkovits, M., see Fodor, M., 251
Patel, K.P., see Krukoff, T.L., 157
Peers, C. and O'Donnell, J., Potassium currents recorded in type I carotid body cells from the neonatal rat and their modulation by chemoexcitatory agents, 259
Pei-Xi, C., see Jie, W., 144
Pellegrini, M., see Simoni, A., 118
Pellegrino, M., see Simoni, A., 118
Pepo, J., see Vecsernyés, M., 325
Pinto, L.H., see Kossut, M., 235
Probst, A., see Palacios, J.M., 342

Quintanilla, J.S., see Segade, L.A.G., 327

Ramírez, M., Arechaga, G., Garcia, S., Sanchez, B., Lardelli, P. and De Gandarias, J.M., Mn^{2+}-activated aspartate aminopeptidase activity, subcellular localization in young and adult rat brain, 165
Reilly, J.A., see Tarkka, I.M., 172
Renzi, A., see Ferrari, A.C., 125
Rice, K.C., see Allard, L.R., 224
Rigo, M., see Palacios, J.M., 342
Robertson, R.T., see Liu, N.H., 315
Rolls, E.T., see Johnston, S., 147
Rosenberg, A.F., see Schuerger, R.J., 161
Rychlik, B., see Mattson, M.P., 204

Saad, W.A., see Ferrari, A.C., 125
Sakurai, M., see Tanaka, Y., 63
Sanchez, B., see Ramírez, M., 165
Scatton, B., see Benavides, J., 275
Scatton, B., see Gotti, B., 290
Schaffner, A.E., see Mandler, R.N., 46
Schlatter, L.K., Ting, S.-m., Meserve, L.A. and Dokas, L.A., Characterization of a glucocorticoid-sensitive hippocampal protein, 215
Schroeder, H., see Frey, U., 69
Schuerger, R.J., Rosenberg, A.F. and Ariel, M., Retinal direction-sensitive input to the accessory optic system: an in vitro approach with behavioral relevance, 161
Segade, L.A.G. and Quintanilla, J.S., Distribution of postganglionic parasympathetic fibers originating in the pterygopalatine ganglion in the maxillary and ophthalmic nerve branches of the trigeminal nerve; HRP and WGA-HRP study in the guinea pig, 327
Semba, R., see Katoh-Semba, R., 112
Shashoua, V.E., Hesse, G.W. and Milinazzo, B., Evidence for the in vivo polymerization of ependymin: a brain extracellular glycoprotein, 181
Sher, G.D. and Mitchell, D., *N*-Methyl-D-aspartate receptors mediate responses of rat dorsal horn neurones to hindlimb ischemia, 55
Sica, A.L., see Gootman, P.M., 131
Simoni, A., Pellegrini, M., Cecconi, C. and Pellegrino, M., Axotomy affects density but not properties of potassium leak channels, in the leech AP neurons, 118
Skolnick, P., see Fride, E., 246
Smith, S.V., see Mandler, R.N., 46
Somenarain, L. and Jakinovich Jr., W., Antagonism of the gerbil's sweetener and polycose gustatory responses by copper chloride, 83
Spear, P.D. and Hou, V., Retinal ganglion-cell densities and soma sizes are unaffected by long-term monocular deprivation in the cat, 354
Steele, A.M., see Gootman, P.M., 131
Stiene-Martin, A., see Hauser, K.F., 347
Su, H.-S., see Chen, S., 1
Suzuki, Y., see Iwamoto, N., 152

Tacker Jr., W.A., see Konrad, P.E., 14
Tanaka, Y., Sakurai, M., Goto, M. and Hayashi, S., Effect of xanthine derivatives on hippocampal long-term potentiation, 63
Tarkka, I.M., Reilly, J.A. and Hallett, M., Topography of movement-related cortical potentials is abnormal in Parkinson's disease, 172
Thies, C., see Madison, R., 90
Thornhill, J.A., see Halvorson, I., 76
Ting, S.-m., see Schlatter, L.K., 215
Tohyama, M., see Kalubi, B., 107

Vecsernyés, M., Jójárt, I., Pepo, J. and Laczi, F., Characterization of oxytocin immunoreactivity in human sympathetic paravertebral ganglia, 325
Viereck, J.C., see Allard, L.R., 224

Weiss, K.R., see Cropper, E.C., 176
Wong, T.M., see Chan, R.K.W., 99

Yamada, T., see Kossut, M., 235
Yamano, M., see Kalubi, B., 107
Yu, B.P., see Liu, N.H., 315

Zaczek, R., Fritschy, J.-M., Culp, S., De Souza, E.B. and Grzanna, R., Differential effects of DSP-4 on noradrenaline axons in cerebral cortex and hypothalamus may reflect heterogeneity of noradrenaline uptake sites, 308
Zeevalk, G.D. and Nicklas, W.J., Action of the anti-ischemic agent ifenprodil on *N*-methyl-D-aspartate and kainate-mediated excitotoxicity, 135